drjatorres@gmail.com | Search History | My Account | Sign out

Google

Web Images Video News Maps more »

"second tapped delay line" summing weighted Search Preferences

Web Results 1 - 10 of about 59 for "second tapped delay line" summing weighted tapped equalizer. (0.64 :

Tap-weight controller for adaptive matched filter receiver ...

In an adaptive matched filter with a decision feedback equalizer (DFE), ... a tap-weight controller having a second tapped delay line of a series of delay ...

www.freepatentsonline.com/5353306.html - 42k - Cached - Similar pages

Maximum likelihood estimation using reference and spontaneous ... A second tapped-delay line is formed by delay-line taps 11' to receive ... tap signals on the delay line, and an adder for summing the weighted tap signals. ... www.freepatentsonline.com/5604724.html - 41k - Cached - Similar pages [More results from www.freepatentsonline.com]

Fast response matched filter receiver with decision feedback ... a second tapped delay line having a series of delay elements for ... and means for summing output signals of said tap-weight multipliers to produce a filter ... www.patentstorm.us/patents/5369668-claims.html - 20k - Cached - Similar pages

Fast response matched filter receiver with decision feedback ...

A tap-weight controller includes a second tapped delay line having a series of ... its successive summing operations when the demodulator is synchronized. ...

www.patentstorm.us/patents/5369668-description.html - 26k - Cached - Similar pages
[More results from www.patentstorm.us]

Equalizer architecture patent invention

An equalizer is divided between two tapped delay lines. ... An output is then formed as the weighted sum of sample values at the sequence of tap points. ... www.freshpatents.com/Equalizer-architecture-dt20050915ptan20050201455.php - 26k - Supplemental Result - Cached - Similar pages

Equalizer architecture patent invention

An **equalizer** is divided between two **tapped** delay lines. ... a first **summing** circuit, for forming a first output as a **weighted sum** of sample values from a ... www.freshpatents.com/**Equalizer**-architecture-dt20050915ptan20050201455.php? type=claims - 28k - Supplemental Result - <u>Cached</u> - <u>Similar pages</u> [<u>More results from www.freshpatents.com</u>]

Tap-weight controller for adaptive matched filter receiver ...

a tap-weight controller having a second tapped delay line of a series of delay ...
averaging means for successively summing the digital sample from the ...

www.wikipatents.com/5353306.html - 127k - Cached - Similar pages

Quadriphase shift keyed adaptive equalizer - Patent Review 4053837 The adaptive equalizer filter is generally configured in the form of tapped delay line transversal filters with each tap being weighted and the taps being ... www.wikipatents.com/4053837.html - 127k - Cached - Similar pages

[More results from www.wikipatents.com]

Phase-directed decision feedback equalizer

The output of decision logic 37 is applied to an output line 20 as well as to the input of a **second tapped delay line** 38 identical to delay line 33. ... www.emergenthomestore.com/techcat/satellite_retrieval/phase-

directed_decision_feedback_equalizer.html - 105k - Supplemental Result - Cached - Similar pages

Arbitrary waveform modem - Patent # 6396801 - PatentGenius

By controlling the tap weight accuracy, the system in accordance with the ... For example, the weight values for an equalizer or filter can be stored the ...

www.patentgenius.com/patent/6396801.html - 69k - Supplemental Result - Cached - Similar pages

Result Page: 1 2 Next

Download Google Pack: free essential software for your PC

"second tapped delay line" summing Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2007 Google



About Us



Basic Search

Newsroom

Advanced Search Search Preferences

	"second tapped o	delay line" AND summir	ng AND weights	Search	
	✓ Journal sources	Preferred Web sources	Other Web source	es Exact phrase	
Searched for::	:All of the words:"s	econd tapped delay line	" AND summing AND	O weighted AND tappe	d AN
Found::	:11 total 0 journ	al results <u>11 preferred</u>	web results 0 oth	ner web results	
Sort by::	:relevance <u>date</u>				
Tast resp Yamamo PATENT,having A tap-wei means fo signals transvers signals Full text	onse matched filter oto, Takeshi, UNIT Nov 1994 a tapped delay lingightincludes a serhaving a tappe equalizer; a seco alhaving a tappe equalizer; a seco available at pate 1 results from Pate	r receiver with decision rED STATES PATENT AIR memeans for summire cond tapped delay line delay linemeans for delay line delay line delay line delay line ent office. For more is ent Offices	ng output signals ne having afeed or summing output having afeedback for summing output having afeedback for summing output having a	er FFICE GRANTED .feedback equalizer: back equalizer; t ck equalizer; a ut	oul tra Or Al
Ryan, Ca GRANTED first an equalize claimfir coefficien second t Full text	p PATENT, Oct 1977 d second tapped of r coefficient general stand second sunt generatorssign apped delay line available at pate 1 results from Pate	ames H., UNITED STA delay lines connected atoreach channel. 2. mming means each have al from said first tappe ; the second inputs ent office. For more i	components and in The equalizer accordingthird and fou ad delay line and the	ndependent cording to urth equalizer hesignal from said	<u> </u>
response Shiokawcompar adaptive includes a are summ delay-line Full text	equalizer a, Masato, EUROF ison with a prior a equalizer 1, a ma a tapped-delay line nedmagnetic rece	PEAN PATENT APPLICATION THE EQUALIZER; and Fig. Ximum likelihoodin Fig. The filter formedof corrording medium. A second of the corror	TION, Mar 1996 11 shows eyege ig. 2, the adaptive elators 12. The we and tapped-delay	nerally comprises an equalizer 1 eighted tap signals tine is formed by	

similar results 4. Arbitrary waveform modem Upton, Eric L. / Wickham, Michael G., UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT, May 2002 ... As known in the art, such tapped delay lines, for example, formed...said filter architectures, the tapped delay lines are known to be...generate a modulated signal, summing each of the modulated signals...example, the weight values for an equalizer or filter can be stored in... Full text available at patent office. For more in-depth searching go to LexisNexisview all 11 results from Patent Offices similar results **5.** Matched filter for use with a DFE Yamamoto, Takeshi, EUROPEAN PATENT, Mar 1993 ...means for summing output signals...feedback equalizer. A tap-weight...a second tapped delay line...tap of the second tapped delay line to produce...feedback equalizer (7), wherein...includes a first tapped delay line...21) for summing output signals...signal of said equalizer (7), wherein...includes a second tapped delay line (22-26) for...tap of said second tapped delay line (22-26) to... Full text available at patent office. For more in-depth searching go to LexisNexisview all 11 results from Patent Offices similar results **6.** DS/CDMA receiver for high-speed fading environment Ushirokawa, Akihisa / Yoshida, Shosei, UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT, Jul 1997 ...transversal equalizer comprising a tapped delay line formed by a series...tap-weight coefficients. The weighted signals are summed by an...additionally includes a feedback equalizer as illustrated in FIG. 3...multiplier 31 where it is weighted by a tap weight coefficient b.sub.i (k). After summing the weighted tap signals by an adder...adders 22 and 32 of the equalizers is taken by a subtractor... Full text available at patent office. For more in-depth searching go to LexisNexisview all 11 results from Patent Offices similar results **7.** Tap-weight controller for adaptive matched filter receiver Yamamoto, Takeshi, UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT, Oct 1994 ...with a decision feedback equalizer according to the present...to a decision feedback equalizer 7 which is clocked at...Transversal filter 8 includes a tapped delay line formed by a...controller 9 to produce weighted digital signals. The outputs...transversal filter has a first tapped delay line of a series...which is supplied to an equalizer, such as decision feedback...tap-weight controller has a second tapped delay line for receiving the digital... Full text available at patent office. For more in-depth searching go to CexisNexisview all 11 results from Patent Offices similar results 8. Maximal correlation symbol estimation demodulator Cui, Jian / Hilborn, Derek Stephen, UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT, Aug 2000 ...signal is then fed into a tapped delay line implemented...of K delay blocks 18. A second tapped delay line 19 identical in structure...the art that F.sub.R is a weighted average of previous correlations...simultaneously, to serve as an equalizer, or to provide an enhanced...signal in a conventional equalizer or diversity combiner...diversity combining or equalizer implementations that use... Full text available at patent office. For more in-depth searching go to LexisNexisview all 11 results from Patent Offices

	similar results
9.	Parallel transmission of TDMA sync and data bursts by artificial frequency selective fade and decision feedback equalization Tsujimoto, Ichiro, EUROPEAN PATENT, Mar 1994bursts and the use of a decision feedback equalizer at the receive site for extracting thea spectral null. A decision feedback equalizer is connected to the synchronous detectormodulator. Preferably, the decision feedback equalizer comprises a feedforward filter comprising Full text available at patent office. For more in-depth searching go to Version view all 11 results from Patent Offices similar results
10.	Fir filter apparatus for multiplexed processing of time division multiplexed signals Christopher, Lauren A., UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT, Feb 1995 In an embodiment of this type, the equalizer and deghoster may be provided a referencefilters. Since such a deghoster and/or equalizer are trained with reference to a timeand applied to independent parallel equalizer and deghoster circuits, before beingcircuitry. FIG. 8 illustrates an output weighted FIR filter for processing time divisionare coupled to common weighting and summing structure. Time division multiplexed Full text available at patent office. For more in-depth searching go to LexisNexisview all 11 results from Patent Offices similar results
11.	FIR filter apparatus for processing of time division multiplexed signals Christopher, Lauren Ann, EUROPEAN PATENT, Feb 1994In an embodiment of this type, the equalizer and deghoster may be provided a referencefilters. Since such a deghoster and/or equalizer are trained with reference to a timeand applied to independent parallel equalizer and deghoster circuits, before beingdisplay. FIGURE 8 illustrates an output weighted FIR filter for processing time division Full text available at patent office. For more in-depth searching go to LexisNexistical similar results.
	Sponsored links
	Tapped Delay Line 3V & 5V. Active. Surface-Mount 70% Smaller Than the

Competition www.maxim-ic.com

:::fast

<u>Downloads</u> | <u>Subscribe to News Updates</u> | <u>User Feedback</u> | <u>Advertising</u> <u>Tell A Friend</u> | <u>Terms Of Service</u> | <u>Privacy Policy</u> | <u>Legal</u>

Powered by FAST © Elsevier 2007



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((second tapped delay line<in>metadata)) <and>(pyr >= 1950 <and> pyr <=..." Your search matched 2 of 1532162 documents.

⊠e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

Modify Search

Г

((second tapped delay line<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2004)

» Key

IEEE JNL

IEEE Journal or Magazine

IET JNL

IET Journal or Magazine

IEEE CNF

IEEE Conference

Proceeding

IET CNF

IET Conference

Proceeding

IEEE STD IEEE Standard

Check to search only within this results set

view selected Items Select All Deselect All

1. Wide-band adaptive antenna nulling using tapped delay lines Г

Mayhan, J.; Simmons, A.; Cummings, W.;

Antennas and Propagation, IEEE Transactions on [legacy, pre - 1988]

Volume 29, Issue 6, Nov 1981 Page(s):923 - 936

AbstractPlus | Full Text: PDF(1384 KB) | IEEE JNL

Rights and Permissions

2. Field-programmable-gate-array-based time-to-digital converter with 200-r

Kalisz, J.; Szplet, R.; Pasierbinski, J.; Poniecki, A.;

Instrumentation and Measurement, IEEE Transactions on

Volume 46, Issue 1, Feb. 1997 Page(s):51 - 55 Digital Object Identifier 10.1109/19.552156

AbstractPlus | References | Full Text: PDF(104 KB) | IEEE JNL

Rights and Permissions

Contact Us Privacy &

© Copyright 2006 IEEE -

indexed by inspec'



Day: Tuesday Date: 4/3/2007 Time: 10:51:16

Continuity Information for 10/817206

Parent Data No Parent Data		
Child Data No Child Data Appln Info Contents Petition Info	Atty/Agent Info Continuity/Reexam	Foreign Data
Search Another: Application#	Search or Patent#	Search
PCT/	Search or PG PUBS #	Search
Attorney Docket #	Search	
Bar Code #	Search	

To go back use Back button on your browser toolbar.



Day: Tuesday Date: 4/3/2007 Time: 10:51:24

Foreign Information for 10/817206

Priority#	Date	Country	•
0405766.7	03/15/2004	UNITED KINGDOM	
Appln Info Co	ntents Petition Info	Atty/Agent Info Continuity/Reexam Search or Patent#	Foreign Data
	,	of Tatoness	
P	PCT / · / · S	or PG PUBS #	Search
A	Attorney Docket #	Search	

To go back use Back button on your browser toolbar.



Day: Tuesday Date: 4/3/2007 Time: 10:51:34

Inventor Information for 10/817206

Inventor Name	City		Sta	te/Country	
WILSON, PAUL	LINLITH	HGOW	UN	ITED KINGDOM	
Appln Info Contents	Petition Info	Atty/Agent	Info (Continuity/Reexam	Foreign
Search Another: Applica	tion#	Search	or	Patent#	Search
PCT /	/	Search	or PG	PUBS#	Search
Attorney	Docket #	the sair Centers of the out of the second	No contractor illustration	Search	
Bar Code	#	Sea	rch		

To go back use Back button on your browser toolbar.



Day: Tuesday Date: 4/3/2007 Time: 10:52:54

Correspondence Address for 10/817206

Customer Number	Contact Information	Address		
00959 Telephone: (617)227-7400 Pax: (617)742-4214		LAHIVE & COCKFIELD, LLP ONE POST OFFICE SQUARE BOSTON MA 02109-2127		
Appln Info Contents	Petition Info Atty/Agent Info	Continuity/Reexam Foreign		
Search Another: Applic	ation# Search	or Patent# Search		
PCT /	/ Search or	PG PUBS # Search		
Attorney	Docket #	Search		
Bar Cod	e # Search	•		

To go back use Back button on your browser toolbar.

ALM Intran	et					
Applicatior lumber		Sut	omit			
OS Flag CI IDS Iformation	earance for Ap	plication 1081	7206			
	Content	Mailroom Date	Entry Number	IDS Review	Last Modified	Reviewer
	M844	2006-07-27	18	Ν□	2006-08-03 09:31:18.0	vtowler
	M844	2004-09-07	14	N 🗆 .	2005-08-10 23:31:48.0	IDS CONV
	Update					

L10	2519	375/232	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/04/03 10:50
L11	15	8 and 9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 10:50
L12	26	8 and 10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 10:50
L13	. 22	(second near (tap\$3 adj delay adj line)) and summ\$3 and weigh\$3 and tap and equaliz\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/04/03 11:11
L14	165	9 and "133"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 11:07
L15	22	13 .	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 11:07
L16	0	9 and 13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 11:08

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	"10/817206"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 11:18
L3	2	"20040013191".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 10:10
L4	4	("4053837" "4504958").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 10:11
L5	26	"379375"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 10:46
L6	51	(second with (tap\$3 adj delay adj line)) and summing and weigh\$3 and tap and equaliz\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 10:48
L8	92	(second with (tap\$3 adj delay adj line)) and summ\$3 and weigh\$3 and tap and equaliz\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/04/03 11:03
L9	2040	375/229	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/04/03 10:49

L17		10 and 13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 11:08
L18	9	(first adj clock) with (second adj clock) with inverse and equaliz\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 11:15
L19	2	"5353306".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 11:15
L20	2	"5604724".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 11:16
L21	2	"5604724".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 11:16
L22	2	"5369668".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 11:16
L23	2	"4053837".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 11:20

L24	2	"5,392,230".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	OR ·	ON	2007/04/03 11:20
			IBM_TDB	j		